

MAGPOWR CL Cantilevered Load Cells



Load cells are not where operators want to spend their money. MAGPOWR's CL Cantilever Load Cells facilitate that as they are the most cost effective cantilever load cell on the market. These sensors have the unique ability to accept virtually any roll and shaft assembly. Operators are no longer restricted in design – they simply install one of their spare roll assemblies into the Model CL Load Cell.

MAGPOWR's CL Cantilever Load Cells are designed to support cantilevered idler rolls in processing machines that have just one side frame. They then accurately measure and control tension in a narrow moving web and are typically used on paper, film, foil, wire, fiber, fabrics or any materials used in the label, tag, tape, printing or converting industry.

These rugged load cells have mechanical overload stops and can be mounted inside or outside of the machine frame.

Key Features:

- Inside or outside machine mounting
- Rugged construction for long-life
- Built-in mechanical stops
- IP67 rated for water wash-down & immersion

Specifications:

[View this product in the Interactive Designer Notebook](#)



North America	South America	Europe	India	China	Japan	Korea, Taiwan and SE Asia
MAGPOWR: +1.800.624.7697	Tel +55.11.3959.0990	Tel +49.6195.7002.0	Tel +91.22.27602633	Tel +86.756.881.9398	Tel +81.43.421.1622	Tel +65.9620.3883
Fife: +1.800.639.3433	Fax +55.11.3856.0990	Fax +49.6195.7002.933	Fax +91.22.27602634	Fax +86.756.881.9393	Fax +81.43.421.2895	Fax +65.6235.4818
Tidland: +1.800.426.1000	Contact	Contact	Contact	Contact	Contact	Contact
Contact						

Source URL: <http://magpowr.maxcessintl.com/tension-control/magpowr-cl-cantilevered-load-cells>