

MAGPOWR IPT-E Current to Pressure Transducer




MAGPOWR's IPT-E Current to Pressure Transducer provides two benefits right out of the box: its single manifold design facilitates its small size, and the unit requires absolutely no calibration, so it's ready-to-use immediately. Versatile and easy to use, the IPT-E provides superior response, accuracy, and flow characteristics, which are critical in precise tensioning applications. The unit operates on 115/230 VAC, normal dry shop air, and accepts a 4-20 ma control input signal.

Key Features:

- Superior response for control applications
- Compact surface mount design
- Ready to use, no calibration required
- Operates any pneumatic clutch or brake, regardless of make or size
- Accepts 4-20 mADC control input signal
- Accurate and repeatable
- IP65 protection against dirt and liquids
- Optional pressure gauge and air line filter kits are available
- UL and CE Approved

Specifications:

[View this product in the Interactive Designer Notebook](#)





North America

MAGPOWR: +1.800.624.7697
Fife: +1.800.639.3433
Tidland: +1.800.426.1000
[Contact](#)

South America

Tel +55.11.3959.0990
Fax +55.11.3856.0990
[Contact](#)

Europe

Tel +49.6195.7002.0
Fax +49.6195.7002.933
[Contact](#)

India

Tel +91.22.27602633
Fax +91.22.27602634
[Contact](#)

China

Tel +86.756.881.9398
Fax +86.756.881.9393
[Contact](#)

Japan

Tel +81.43.421.1622
Fax +81.43.421.2895
[Contact](#)

Korea, Taiwan and SE Asia

Tel +65.9620.3883
Fax +65.6235.4818
[Contact](#)

Source URL: <http://magpowr.maxcessintl.com/tension-control/magpowr-ipt-e-current-pressure-transducer>